## PANTHER TANK



SPECIFICATION GENERAL

CREW: 5

COMBAT WEIGHT: 44.09 TONS LENGHT OVERALL: MT. 8.86 HULL LENGHT: MT. 7.10 WIDTH: MT. 3.30 HEIGHT: MT. 2.95

**GROUND CLEARANCE:** MT. 0.54 TRACK WIDTH: MT. 0.66

ENGINE 1 MAYBACH HL 230


ARMAMENT 1 75 MM KWK 42 GUN 2 7.92 M60 MACHINE GUNS



PERFORMANCE
MAXIMUM SPEED: 45 KM/H
COMBAT RANGE: 210 KMS

**1/72 SCALE** 

KIT 8363 KIT 8603



## WARNING

Before starting to assemble the model, carefully examine the various assembly phases indicated in the drawings. Carefully remove the parts from the sprues using a razor blade or emery paper. Eliminate any burrs, check the fit of each piece before cementing in place. Before assembly, paint any internal parts of the model or parts which are difficult to get at once assembly has been made. Always follow the assembly order indicated on the tables and, in the case of alternative parts which make it possible to obtain different versions, always choose the version you prefer before assembly. STEPS TO FOLLOW IN ATTACHING THE DECALS PROPERLY: Cut out the subject you have chosen, being very careful to clip along its outlines so as not to leave any ragged adges. Soak it for a few seconds in warm water. Carefully separate it from its backing. Place the decal on the model. Remove all drops of water with a dry cloth. Any air bubbles which may have formed can be removed by gently squeezing them out to the edges of the decal.

